

Chinese Building Color Card (CBCC) Color list

The color codes of the Color Standard of China are the same as the Munsell system according to Hue, Value and Chroma. Note, however: The colors from the Chinese Building fan do not match the standard colors of the Munsell color system.

- Odd color codes e.g. 8.8YR 9 / 1.8 = Chinese Building Color Fan
- Munsell color codes e.g. 8.75YR 7/14 = Munsell standard shade

The entire Chinese color system contains more than 5000 colors. In this list you will only find the 1026 Architecture colors. In the Chinese color system the color notations are interpreted differently, which results into Color shifts to the Munsell standard colors.

If you have further questions about your color code, we are at your disposal by phone and by mail.

N8.25		0063	5.6Y 9/5.2	0136	10YR 8.5/4	0213	1.3YR 8/5.6
N7.75		0064	4.4Y 8.5/7.6	0141	0.6Y 8.5/2.4	0214	9.4R 7/9.2
N7.25		0065	5Y 8.5/6.4	0142	10YR 8/4.4	0215	0.6YR 7.5/7.2
N6.75		0066	6.3Y 9/3.6	0143	8.1YR 7.5/6.8	0216	3.1YR 8/4
N6.25		0071	6.3Y 8.5/2.4	0144	6.9YR 6.5/7.6	0221	5YR 8/2.4
N5.75		0072	6.3Y 8.5/3.6	0145	6.9YR 7/8	0222	3.1YR 8/4
N5.25		0073	6.3Y 8/6.4	0146	9.4YR 7.5/5.6	0223	10R 7/7.2
N4.75		0074	5.6Y 7/6.4	0151	1.9Y 7.5/2.4	0224	9.4R 5.5/8
N4.25		0075	6.3Y 8/8	0152	0.6Y 7/4	0225	9.4R 6.5/9.2
N3.75		0076	6.3Y 8/5.2	0153	8.8YR 6/4.8	0226	1.3YR 7.5/5.6
N3.25		0081	7.5Y 7.5/2	0154	7.5YR 4.5/4	0231	5.6YR 7.5/2
N2.75		0082	6.3Y 7.5/3.6	0155	8.1YR 5.5/4.8	0232	2.5YR 7/3.6
		0083	5.6Y 6.5/4.4	0156	8.8YR 7/5.6	0233	1.3YR 5.5/4.8
0011	9.4Y 9/1.2	0084	3.8Y 4.5/3.6	0161	1.3Y 6.5/2.4	0234	1.9YR 4/4
0012	0.6GY 9/1.8	0085	3.8Y 5.5/4.4	0162	10YR 6.5/4	0235	0.6YR 5/4.8
0013	9.4Y 9/4.8	0086	6.3Y 7/4.8	0163	9.4YR 4.5/3.2	0236	0.6YR 6.5/5.6
0014	10Y 8.5/7.6	0091	3.8Y 7.5/2.4	0164	7.5YR 3.5/1.8	0241	4.4YR 6.5/2
0015	10Y 8.5/6.4	0092	3.8Y 7.5/3.6	0165	10YR 4/2.8	0242	3.1YR 6/3.6
0016	9.4Y 9/3.6	0093	3.1Y 6.5/4.4	0166	9.4YR 5.5/3.6	0243	1.9YR 4.5/3.2
0021	8.1Y 9/1.2	0094	1.9Y 5/4	0171	0.6Y 9/1.4	0244	10R 3/2.8
0022	8.1Y 9/2	0095	1.9Y 5.5/4.4	0172	8.8YR 9/1.8	0245	2.5YR 4/2.8
0023	8.1Y 9/5.2	0096	4.4Y 7/4.8	0173	4.4YR 8/6	0246	2.5YR 5.5/3.2
0024	8.1Y 8.5/8	0101	5Y 9/1.4	0174	2.5YR 7/8.8	0251	5YR 9/1
0025	8.1Y 8.5/6.4	0102	5Y 9/2.4	0175	3.8YR 7.5/7.2	0252	1.9YR 9/1.8
0026	8.8Y 9/3.6	0103	3.1Y 8.5/5.2	0176	5.6YR 8.5/3.6	0253	0.6YR 7.5/4.8
0031	8.1Y 8.5/2	0104	2.5Y 8.5/7.6	0181	9.4YR 8/2.4	0254	5.6R 6.5/8.8
0032	8.1Y 8.5/3.6	0105	3.1Y 8.5/6.4	0182	5.6YR 8/4.4	0255	5.6R 7/7.2
0033	9.4Y 8/6.4	0106	3.8Y 9/3.6	0183	4.4YR 7/7.2	0256	0.6YR 8.5/3.2
0034	10Y 7/6	0111	4.4Y 8.5/2.4	0184	3.8YR 6.5/6.8	0261	9.4R 8.5/1.8
0035	8.8Y 8/8	0112	4.4 Y 8/4	0185	3.8YR 6.5/8.4	0262	8.1R 7.5/3.6
0036	9.4Y 8/5.2	0113	2.5Y 8/6.8	0186	4.4YR 7.5/6	0263	5.6R 7/6.8
0041	8.1Y 7.5/2	0114	1.9Y 6.5/7.2	0191	8.8YR 7.5/2.4	0264	6.9R 5/6
0042	8.8Y 7.5/3.2	0115	2.5Y 7.5/8	0192	6.3YR 7/4	0265	6.3R 6/6.4
0043	7.5Y 6.5/4.4	0116	3.1Y 8/5.2	0193	4.4YR 6/5.2	0266	6.3R 7/5.2
0044	6.3Y 5/4	0121	5Y 9/1.4	0194	3.8YR 4.5/4.4	0271	0.6YR 7/2
0045	6.9Y 5.5/4	0122	3.1Y 9/2.4	0195	4.4YR 5/4.8	0272	8.1R 7/3.6
0046	8.8Y 7/4.8	0123	1.3Y 8.5/5.2	0196	4.4YR 6.5/5.6	0273	6.9R 5.5/4.8
0051	8.1Y 6.5/2	0124	9.4YR 8/8	0201	8.8YR 6.5/2	0274	6.9R 4/4
0052	7.5Y 6.5/3.2	0125	10YR 8/7.2	0202	5.6YR 6.5/4	0275	7.5R 5/4.4
0053	6.9Y 5/2.8	0126	3.1Y 8.5/4	0203	5.6YR 5/3.2	0276	6.3R 6.5/5.2
0054	2.5Y 3/1.8	0131	3.1Y 9/1.6	0204	10R 3/3.2	0281	0.6YR 6.5/1.6
0055	6.3Y 4/2.4	0132	2.5Y 9/2	0205	5YR 4/2.8	0282	8.1R 6/3.6
0056	7.5Y 6/2.8	0133	9.4YR 8/5.6	0206	5YR 5.5/3.6	0283	8.1R 4.5/2.8
0061	7.5Y 9/1.2	0134	8.1YR 7.5/8	0211	8.1YR 9/1.2	0284	6.9R 3/3.6
0062	7.5Y 9/2	0135	8.1YR 8/7.2	0212	6.3YR 9/2	0285	8.1R 4/2.4

0286	7.5R 5.5/3.2	0376	8.1P 8.5/3.2	0466	6.3PB 5.5/4	0556	2.5PB 5.5/3.6
0291	0.6R 9/1.4	0381	7.5P 8.5/1.6	0471	1.3P 9/1	0561	7.5B 9/1
0292	4R 8.5/1.8	0382	9.4P 7.5/3.6	0472	7.5PB 9/1.6	0562	5B 9/1.4
0293	8.8RP 8/5.2	0383	9.4P 7/7.2	0473	6.3PB 8/4.4	0563	3.1B 8/3.6
0294	10RP 6.5/7.6	0384	10P 5/6.8	0474	6.9PB 6/9.2	0564	5.6B 6.5/7.8
0295	10RP 7.5/5.6	0385	8.8P 6/6.8	0475	7.5PB 7/7.6	0565	2.5B 7.5/3.6
0296	10RP 8/3.6	0386	9.4P 7.5/5.2	0476	6.3PB 8.5/3.6	0566	7.5BG 8.5/1.8
0301	5.6R 8/2	0391	1.3RP 9/1.2	0481	8.8PB 8.5/1	0571	2.5PB 9/1
0302	9.4RP 7.5/3.6	0392	7.5P 9/1.6	0482	6.3PB 8/3.6	0572	6.9B 9/1.4
0303	10RP 6.5/6.8	0393	8.1P 7.5/5.2	0483	7.5PB 6/7.6	0573	5.6B 8/3.6
0304	10RP 5/5.6	0394	8.1P 5.5/9.2	0484	8.1PB 4.5/7.6	0574	7.5B 6.5/7.6
0305	9.4RP 5.5/6.4	0395	5P 7/7.6	0485	8.1 PB 5/7.2	0575	5B 7.5/3.6
0306	9.4RP 7/5.2	0396	8.1P 8.5/2.8	0486	6.9PB 7.5/5.2	0576	1.3B 8.5/1.8
0311	10RP 7.5/2	0401	3.8P 8.5/1.6	0491	6.9PB 7.5/2.4	0581	5B 8/1.6
0312	9.4RP 7/3.6	0402	5.6P 8/3.6	0492	6.9PB 7/4	0582	7.5B 8/3.2
0313	8.8RP 5.5/4.4	0403	5P 7/7.6	0493	6.9PB 5.5/5.2	0583	7.5B 7/6.4
0314	0.6R 4/4	0404	6.3P 5/6.8	0494	8.1PB 4/5.2	0584	9.4B 5.5/6.4
0315	9.4RP 4.5/4.4	0405	5.6P 6/7.6	0495	7.5PB 5/5.6	0585	8.8B 6/6
0316	8.8RP 6.5/5.2	0406	8.1P 7.5/5.2	0496	6.9PB 6.5/5.2	0586	6.3B 7.5/3.6
0321	9.4RP 6.5/1.8	0411	9.4P 8/1	0501	8.8PB 9/1	0591	1.9B 8.5/1.6
0322	10RP 6/3.2	0412	4.4P 7/4	0502	1.3PB 8.5/1.8	0592	3.8B 8/3.2
0323	10RP 4.5/3.2	0413	5.6P 5.5/5.6	0503	5PB 6/9	0593	5B 7/6
0324	7.5R 2.5/1.8	0414	6.9P 4/4.4	0504	4.4PB 6/9.2	0594	6.3B 5.5/5.6
0325	9.4RP 3.5/2.8	0415	6.3P 5/5.2	0505	4.4PB 7/7.2	0595	5.6B 6/5.6
0326	9.4RP 5/2.8	0416	6.3P 6.5/5.2	0506	3.8PB 8.5/3.2	0596	3.8B 7.5/3.6
0331	7.5RP 9/1.2	0421	0.6P 6.5/1.8	0511	0.6PB 8.5/1.8	0601	3.1B 7.5/1.4
0332	0.6R 9/1.8	0422	6.9PB 6/3.6	0512	0.6PB 8/3.6	0602	5.6B 7/3.2
0333	3.1RP 8/5.6	0423	7.5PB 4.5/3.6	0513	1.9PB 6/6.4	0603	6.3B 6/4.4
0334	2.5RP 7/7.2	0424	8.8PB 2.5/3.6	0514	3.8PB 4.5/6.4	0604	6.3B 4/3.6
0335	3.8RP 7.5/5.6	0425	7.5PB 3.5/3.6	0515	1.9PB 5.5/6.8	0605	6.9B 4/3.6
0336	2.5RP 8.5/3.6	0426	6.9PB 5/4	0516	3.1PB 7.5/ 5.2	0606	6.3B 6.5/4.4
0341	6.3RP 8.5/2	0431	7.5P 9/1	0521	4.4PB 9/1	0611	6.3B 6.5/1.8
0342	3.8RP 7.5/4	0432	2.5P 8.5/1.6	0522	9.4PB 9/1.4	0612	5.6B 6/2.8
0343	2.5RP 7/7.6	0433	10PB 8/5	0523	3.1PB 8/5.6	0613	6.9B 4.5/2.8
0344	3.8RP 5/5.6	0434	1.9P 5.5/9.6	0524	1.3PB 6.5/7.6	0614	6.9B 3/2.4
0345	3.1RP 6/6.8	0435	1.9P 7/7.6	0525	3.1PB 7.5/5.6	0615	7.5B 4/2.8
0346	3.1RP 7.5/5.2	0436	7.5PB 8.5/3.6	0526	3.1PB 8.5/3.2	0616	6.3B 5.5/2.8
0351	3.1RP 7.5/2	0441	1.3P 8/1.8	0531	6.3PB 8.5/1.8	0621	3.1B 8.5/1
0352	3.1RP 7/3.2	0442	1.3P 8/3.6	0532	1.9PB 8/3.2	0622	7.5B 7.5/1
0353	3.1RP 5.5/4.8	0443	1.9P 7/7.6	0533	5PB 6/7.2	0623	6.3B 6/1.6
0354	3.8RP 4/4.4	0444	1.9P 5/7.2	0534	6.3PB 4.5/7.2	0624	7.5B 4.5/1.6
0355	3.1RP 4.5/4.4	0445	1.3P 6/7.6	0535	5.6PB 5/7.6	0625	6.9B 5/1.6
0356	3.1RP 6.5/5.2	0446	7.5PB 7.5/5.2	0536	4.4PB 7.5/5.6	0626	8.8B 6.5/1.8
0361	1.9RP 6.5/2	0451	0.6P 7.5/1.8	0541	1.3PB 7.5/2	0631	3.1B 9/1
0362	1.9RP 6/3.2	0452	0.6P 7/4	0541	1.3PB 7/3.6	0632	0.6B 9/1.2
0363	2.5RP 4.5/3.2	0453	0.6P 5.5/5.6	0543	1.9PB 5.5/5.2	0633	7.5G 8.5/3.2
0364	5.6RP 2.5/2.8	0454	0.6P 4/5.2	0544	3.8PB 4/4.8	0634	7.5BG 7/7.6
0365	3.8RP 3.5/2.8	0455	0.6P 4.5/5.6	0545	2.5PB 5/4.8	0635	7.5BG 7.5/3.6
0366	3.1RP 5/3.2	0456	1.3P 6.5/5.6	0546	1.3PB 6.5/4.8	0636	3.1BG 8.5/1.8
0371	2.5RP 9/1.2	0461	1.3P 6.5/2	0551	1.9PB 6.5/2	0641	6.3BG 8.5/1.4
0372	0.6RP 9/1.6	0462	7.5PB 6/3.6	0552	2.5PB 6/3.6	0642	7.5BG 8/2.4
0373	9.4P 8/5.2	0463	8.1PB 4.5/3.6	0553	3.1PB 4.5/3.2	0643	7.5BG 7.5/3.6
0374	10P 6.5/7.6	0464	8.1PB 3/3.2	0554	5PB 2.5/3.2	0644	7.5BG 8.5/5.2
0375	9.4P 7/7.2	0465	8.1PB 3.5/3.2	0555	3.1PB 3.5/3.2	0645	8.1BG 6.5/5.2

0646	7.5BG 7.5/3.6	0736	2.5G 6.5/4	0826	2.5GY 8/4.4	0916	6.3R 6.5/2
0651	7.5BG 7.5/1.2	0741	1.9G 6.5/1.4	0831	5.6GY 7.5/1.4	0921	10P 8.5/1
0652	8.1BG 7/2.8	0742	1.9G 6.5/2.8	0832	3.8GY 7/2.8	0922	0.6RP 7.5/1
0653	8.1BG 6/3.6	0743	2.5G 4.5/2.8	0833	3.8GY 6/4	0923	0.6RP 5.5/2
0654	7.5BG 4.5/3.6	0744	3.1G 3/3.6	0834	5GY 4.5/3.6	0924	1.9RP 4/1.8
0655	7.5BG 5/4	0745	1.9G 4/2.4	0835	4.4GY 5/4	0925	1.9RP 5/1.8
0656	7.5BG 6.5/4	0746	2.5G 5.5/2.8	0836	4.4GY 7/4	0926	8.1P 6.5/1.8
0661	8.1BG 6.5/1.2	0751	4.4G 8.5/1	0841	4.4GY 6.5/1.6	0931	6.3RP 7.5/1.2
0662	7.5BG 6/2.4	0752	8.1G 7.5/1	0842	3.8GY 6.5/2.8	0932	3.8RP 7/1
0663	8.1BG 4.5/2.4	0753	10G 6/1.2	0843	5GY 5/2.8	0933	2.5RP 5.5/1
0664	5BG 3/3.6	0754	0.6BG 4.5/1.4	0844	10Y 3.5/1.8	0934	1.9RP 4/1.8
0655	8.8BG 4/2.4	0755	9.4G 5/1.4	0845	5GY 4/2.4	0935	10P 4.5/1
0666	8.1BG 5.5/2.4	0756	4.4G 6.5/1.2	0846	4.4GY 5.5/2.8	0936	9.4P 6/1
0671	0.6G 9/1	0761	6.3GY 9/1	0851	10Y 9/1	0941	4.4YR 7.5/1
0672	6.9G 9/1	0762	6.3GY 9/1.4	0852	1.9GY 9/2	0942	1.3YR 6.5/1
0673	7.5G 8.5/3.6	0763	7.5GY 8.5/4	0853	1.3GY 9/4.8	0943	8.1R 5.5/1
0674	9.4G 7/6.8	0764	8.1GY 8/5.6	0854	1.3GY 8.5/7.6	0944	1.9YR 4/1
0675	7.5G 7.5/5.6	0765	8.1GY 8/5.2	0855	1.9GY 8.5/6.4	0945	1.9YR 4.5/1
0676	6.25G 8.5/2.4	0766	6.9GY 8.5/2.4	0856	1.9GY 9/3.2	0946	8.8R 6/1
0681	5.6G 8.5/1.2	0771	5.6GY 8.5/1.2	0861	1.3GY 8.5/1.8	0951	3.8BG 7.5/1
0682	8.1G 8/2.4	0772	7.5GY 8/2.4	0862	1.9GY 8.5/3.2	0952	8.8BG 6.5/1
0683	7.5G 7.5/5.2	0773	8.1GY 7.5/5.2	0863	1.3GY 8/6.4	0953	2.5BG 5.5/1
0684	9.4G 5.5/5.2	0774	8.1GY 5.5/4.8	0864	1.3GY 6/4.8	0954	3.1BG 4/1
0685	10G 6.5/5.6	0775	8.1GY 6.5/5.2	0865	1.3GY 7/5.6	0955	3.1BG 4.5/1
0686	9.4G 8/3.6	0776	7.5GY 7.5/3.6	0866	1.9GY 8/4.8	0956	6.9BG 6/1
0691	7.5G 7.5/1.4	0781	8.8GY 7.5/1.4	0871	1.3GY 7.5/1.8	0961	3.1G 7.5/1
0692	8.8G 7/2.4	0782	8.1GY 7/2.8	0872	1.9GY 7.5/3.2	0962	9.4GY 7/1
0693	10G 6/4	0783	8.1GY 6/4	0873	1.3GY 6.5/4	0963	1.9G 5.5/1
0694	10G 4/3.6	0784	8.1GY 4.5/3.6	0874	0.6GY 5/3.6	0964	10GY 4/1
0695	10G 5/4	0785	8.1GY 5/3.6	0875	0.6GY 5.5/3.6	0965	0.6G 4.5/1
0696	9.4G 7/4.4	0786	7.5GY 7/3.6	0876	1.3GY 7/4.4	0966	3.1G 6/1
0701	9.4G 6.5/1	0791	8.1GY 7/1.4	0881	1.9GY 6.5/1.8	0971	1.9GY 7.5/1
0702	9.4G 6.5/2.8	0792	8.1GY 6.5/2.8	0882	1.3GY 6.5/2.8	0972	0.6GY 7/1
0703	9.4G 5/2.4	0793	8.1GY 5/2.4	0883	1.3GY 5/2.4	0973	0.6GY 5.5/1
0704	8.1G 3/2.4	0794	6.3GY 3/1.8	0884	8.8Y 3.5/1.8	0974	1.9GY 4/1
0705	0.6BG 4/2.4	0795	7.5GY 4/2.4	0885	10Y 4/2	0975	0.6GY 4.5/1
0706	10G 5.5/2.4	0796	7.5GY 5.5/2.4	0886	1.3GY 6/2.8	0976	0.6GY 6/1.2
0711	0.6G 9/1	0801	8.1GY 8.5/1	0891	5Y 7.5/1.2	0981	4.4Y 8.5/1.2
0712	10GY 9/1.2	0802	7.5GY 7.5/1	0892	3.8Y 6.5/1.2	0982	5Y 7.5/1.4
0713	1.9G 8.5/3.6	0803	8.1GY 6/1.4	0893	1.9Y 5.5/1.2	0983	3.8Y 6/2
0714	1.3G 7.5/5.6	0804	8.1GY 4.5/1.4	0894	3.1Y 4/1	0984	2.5Y 4.5/1.6
0715	1.9G 8/5.2	0805	8.8GY 5/1.4	0895	3.1Y 4.5/1.2	0985	1.9Y 5.5/2
0716	1.9G 8.5/2.8	0806	5.6GY 6.5/1.4	0896	2.5Y 6/1.2	0986	3.8Y 6.5/2
0721	1.3G 8.5/1.2	0811	2.5GY 9/1	0901	9.4YR 8.5/1.2	0991	5.6Y 6.5/2.4
0722	1.9G 8/2.8	0812	3.8GY 9/1.4	0902	9.4YR 7.5/1	0992	3.1Y 6.5/3.6
0723	2.5G 7.5/5.2	0813	4.4GY 8.5/4.4	0903	6.9YR 6/2	0993	2.5Y 5/2.8
0724	1.9G 5.5/5.2	0814	2.5GY 8/6.8	0904	6.3YR 4.5/1.8	0994	10YR 3.5/1.8
0725	1.9G 6.5/5.6	0815	4.4GY 8.5/5.6	0905	7.5YR 5/1.8	0995	1.9Y 4/2.8
0726	1.9G 7.5/4	0816	3.8GY 9/2.8	0906	6.9YR 6.5/2	0996	2.5Y 5.5/3.2
0731	1.3G 7.5/1.2	0821	3.1GY 8.5/1.6	0911	8.1R 8.5/1.2	1001	5Y 6/5.6
0732	1.3G 7/2.4	0822	4.4GY 8.5/2.8	0912	6.3R 7.5/1	1002	1.9Y 6/5.6
0733	1.9G 6/4	0823	2.5GY 7.5/5.6	0913	8.8R 7.5/1.6	1003	5.6Y 4/3.2
0734	2.5G 4.5/3.6	0824	3.8GY 6/4.8	0914	8.1R 4.5/1.4	1004	3.1Y 4/3.6
0735	1.9G 5/4	0825	4.4GY 6.5/5.2	0915	8.8R 5/1.6	1005	1.3Y 4/3.2

1006	6.9YR 4/3.6	1096	8.1R 6/11.6	1186	6.9BG 5/6.4	1276	N9
1011	0.6GY 5/4.8	1101	0.6GY 8/8.8	1191	5B 6/7.6	1281	9.4YR 9/1.2
1012	0.6GY 4/3.2	1102	4.4Y 7.5/8.8	1192	5.6B 5.5/7.6	1282	2.5YR 9/1
1013	0.6GY 3.5/1.8	1103	1.9Y 7.5/9.2	1193	5.6B 4/6.8	1283	6.3YR 9/1
1014	3.1G 3.5/2.8	1104	0.6Y 8/9.2	1194	6.3B 3/4.8	1284	9.4RP 9/1
1015	3.1G 3.5/3.6	1105	9.4YR 7/8.8	1195	5.6B 3.5/5.6	1285	8.8P 9/1
1016	3.1G 3/2.4	1106	8.8YR 5.5/7.6	1196	6.3B 5/6.8	1286	3.8P 9/1
1021	8.1GY 3.5/1.4	1111	4.4Y 8/9.2	1201	8.1B 5.5/9.6	1291	0.6YR 9/1
1022	1.3GY 4/1.4	1112	5.6Y 8/10.4	1202	9.4B 5/9.6	1292	6.3YR 9/1
1023	9.4G 3.5/1.2	1113	3.8Y 7.5/11.6	1203	8.8B 3.5/5.6	1293	7.5R 9/1
1024	7.5GY 3/1.4	1114	9.4Y 5.5/7.6	1204	0.6PB 3/5.2	1294	7.5YR 9/1
1025	7.5G 3/1.2	1115	4.4Y 6.5/7.6	1205	8.8B 3.5/5.6	1295	6.9YR 8.5/1
1026	2.5GY 3/1.4	1116	5Y 7.5/10.4	1206	10B 4/7.2	1296	5.6R 8.5/1
1031	8.8Y 3/1.2	1121	8.1Y 8.5/9.2	1211	3.8PB 5/9.6	1301	6.3Y 9/1
1032	4.4Y 3/1.4	1122	8.1Y 7.5/8.8	1212	2.5PB 4.5/9.6	1302	3.8Y 9/1
1033	2.5GY 3/1	1123	8.1Y 6.5/7.6	1213	5PB 3.5/7.6	1303	10YR 9/1
1034	3.1Y 3/1	1124	8.1Y 6/6.4	1214	3.8PB 3/5.6	1304	2.5Y 9/1.2
1035	1.9G 3/1	1125	6.9Y 6/7.6	1215	6.9PB 3.5/7.6	1305	2.5Y 9/1
1036	8.8G 3/1	1126	8.1Y 7.5/9.6	1216	3.8PB 4/9.6	1306	5.6Y 9/1
1041	2.5RP 3.5/1	1131	1.9GY 8/7.5	1221	6.3PB 5/10.8	1311	8.8Y 9/1
1042	1.9RP 4.5/1	1132	1.9GY 7.5/8.8	1222	6.3PB 4/9.6	1312	1.3Y 9/1
1043	2.5PB 4.5/1	1133	0.6GY 6/7.6	1223	6.3PB 3.5/7.6	1313	6.9Y 9/1
1044	3.1GY 4.5/1	1134	0.6GY 5/5.6	1224	5.6PB 3.5/6.4	1314	7.5Y 9/1
1045	7.5BG 4.5/1	1135	0.6GY 5.5/5.6	1225	6.3PB 3.5/7.6	1315	2.5Y 9/1
1046	3.8GY 3.5/1	1136	1.3GY 6.5/7.6	1226	6.3PB 3.5/7.6	1316	6.9Y 9/1
1051	1.9RP 3.5/1.4	1141	2.5GY 7.5/6.4	1231	7.5PB 5.5/9.6	1321	7.5GY 9/1
1052	5.6YR 3.5/1.8	1142	3.8GY 7/7.6	1232	8.8PB 5/9.6	1322	2.5GY 9/1
1053	8.8R 3.5/1.2	1143	5.6GY 5/6.8	1233	8.8PB 4/9.6	1323	2.5GY 9/1
1054	3.1YR 3/1	1144	3.8GY 4/3.6	1234	9.4PB 2.5/5.6	1324	8.8GY 9/1
1055	2.5RP 3/1	1145	4.4GY 5/5.6	1235	8.8PB 3.5/7.6	1325	8.8GY 9/1
1056	5.6P 2.5/1	1146	3.1GY 6/7.6	1236	8.1PB 4.5/9.6	1326	9.4GY 9/1
1061	10YR 3.5/1.8	1151	8.1GY 7/6.4	1241	1.9P 7/7.6	1331	5.6GY 9/1
1062	10YR 3/1.4	1152	8.1GY 7/7.6	1242	1.9P 5.5/9.6	1332	1.3GY 9/1
1063	5.6YR 3/1.4	1153	7.5GY 5/6.4	1243	1.3P 3.5/7.6	1333	6.9B 9/1
1064	10R 3/2.8	1154	7.5GY 4/3.6	1244	3.1P 3/4	1334	2.5PB 9/1
1065	10R 2.5/1.8	1155	7.5GY 4.5/3.6	1245	1.3P 3/5.6	1335	7.5PB 9/1
1066	10R 2.5/1.2	1156	7.5GY 5.5/7.6	1246	1.9P 4.5/9.6	1336	6.3PB 9/1
1071	7.5R 3.5/5.6	1161	1.9G 7/6.8	1251	3.1RP 6/9.2	1341	1.3GY 9/1
1072	6.9R 4.5/5.6	1162	2.5G 6.5/8.4	1252	10P 5/8.4	1342	6.9GY 8.5/1
1073	7.5R 3/4.8	1163	2.5G 4/5.6	1253	6.9P 4/6	1343	1.9GY 8.5/1
1074	3.8R 3/5.6	1164	2.5G 3/3.6	1254	6.3P 4.5/8.4	1344	1.9GY 8/1
1075	8.8RP 3/5.2	1165	3.1G 4/5.2	1255	1.9P 4.5/9.6	1345	6.9GY 8/1
1076	0.6R 4/5.6	1166	2.5G 5.5/7.6	1256	1.9P 4/6.8	1346	7.5GY 8.5/1
1081	9.4R 6/9.2	1171	8.8G 7/7.6	1261	N2.5	1351	7.5 PB 9/1
1082	5.6R 6/10	1172	10G 6/7.2	1262	5PB 3.5/1	1352	1.3PB 9/1
1083	4R 5/10.8	1173	8.8G 5/6.8	1263	N4.5	1353	6.9PB 9/1
1084	7.5R 3.5/6.6	1174	8.1G 3.5/3.6	1264	10B 5.25/1	1354	8.8BG 8.5/1
1085	6.9R 4/11.6	1175	9.4G 4/6.8	1265	5PB 5.5/1	1355	9.4B 8.5/1
1086	10RP 6/8.4	1176	8.1G 5.5/7.6	1266	N6	1356	2.5PB 8/1
1091	6.3YR 7/9.6	1181	6.9BG 6/6.8	1271	10B 6.5/1	1361	9.4R 9/1
1092	6.3YR 7/9.6	1182	6.3BG 5.5/7.6	1272	N7	1362	4.4R 8.5/1
1093	2.5YR 6.5/9.6	1183	7.5BG 4/5.6	1273	10B 7.5/1	1363	5PB 7.5/1
1094	8.8R 5/11.6	1184	7.5BG 3.5/3.6	1274	5PB 8/1	1364	6.3PB 6.5/1.8
1095	7.5R 4.5/11.2	1185	8.8BG 3.5/3.6	1275	5PB 8.5/1	1365	3.8P 6.5/1

1366	5P 7.5/1.4	1456	5YR 8/4	1546	6.9G 8.5/2.8	1635	4.4B 7.5/1.2
1371	5.6R 8/1	1461	2.5Y 9/1.6	1551	3.1BG 8.5/1.8	1636	3.8B 7.5/1
1372	2.5PB 8/1	1462	3.1Y 9/1.6	1552	4.4BG 8.5/1.8	1641	6.3RP 9/1
1373	2.5PB 7.5/1	1463	1.3Y 8.5/2.8	1553	2.5BG 8.5/1.8	1642	8.8P 8.5/1
1374	2.5PB 7/1	1464	1.9Y 8.5/2.4	1554	7.5H 8.5/2.8	1643	6.3PB 8.5/3.6
1375	0.6RP 7/1	1465	1.9Y 8.5/3.6	1555	4.4B 8/3.2	1644	6.3PB 8/3.2
1376	4R 7.5/1	1466	1.3Y 8/2.4	1556	2.5B 8/3.6	1645	8.1PB 7.5/3.6
1381	1.9Y 9/1	1471	8.8YR 9/1	1561	5BG 9/1	1646	7.5PB 8/4.4
1382	0.6Y 9/1.2	1472	1.3R 9/1	1562	2.5B 8.5/1.6	1651	5.6RP 9/1
1383	10YR 8/1	1473	10YR 8/1.2	1563	5.6B 8/1.8	1652	3.8P 8.5/1.8
1384	6.9R 8/1	1474	1.3YR 8/1	1564	5B 8/2.4	1653	0.6RP 7.5/3.6
1385	0.6Y 8/2.4	1475	5YR 7.5/1	1565	5BG 8.5/1.8	1654	3.8P 8/3.6
1386	6.9YR 8/1	1476	3.1YR 5/1	1566	5B 8/2	1655	10PB 7.5/2.8
1391	9.4Y 9/1.6	1481	5Y 9/2	1571	1.9BG 9/1	1656	5.6PB 8/4
1392	8.8Y 9/2	1482	1.9Y 9/1.6	1572	6.9BG 8.5/1.8	1661	9.4RP 9/1
1393	8.1Y 9/2.4	1483	1.9Y 9/2.4	1573	6.3BG 8.5/1.8	1662	9.4P 8.5/2.8
1394	7.5Y 9/3.6	1484	0.6Y 9/3.6	1574	10BG 8/2.8	1663	4.4RP 8.5/2.8
1395	5.6Y 9/3.2	1485	10YR 8.5/3.6	1575	7.5BG 8/2.8	1664	1.9RP 8.5/3.6
1396	3.8Y 8.5/3.6	1486	9.4YR 8.5/4.8	1576	1.9B 8/2.8	1665	3.1RP 8/4
1401	9.4RP 9/1	1491	5Y 9/2.4	1581	2.5B 9/1	1666	0.6RP 8/4
1402	7.5R 9/1.8	1492	3.8Y 9/2.4	1582	1.3B 9/1	1671	8.3RP 7/8
1403	6.3RP 8/4.8	1493	3.1Y 9/3.2	1583	2.5BG 8/1	1672	10RP 6/10.5
1404	5.6RP 8/4.4	1494	4.4Y 9/3.6	1584	3.8B 8/2.4	1673	1.2R 5.9/11.5
1405	4.4RP 8/5.2	1495	3.1Y 9/3.6	1585	2.5B 7.5/2.8	1674	5R 4.4/14
1406	7.5RP 7.5/4.8	1496	3.1Y 9/4.4	1586	8.8B 7.5/3.6	1675	2.3R 4.9/12.1
1411	7.5R 8.5/1.8	1501	8.8Y 9/1.4	1591	8.8BG 9/1	1676	9RP 6.4/9.8
1412	7.5RP 8.5/3.2	1502	2.5GY 9/2.4	1592	1.3B 8.5/1.8	1681	8.3R 6.8/5.2
1413	7.5RP 8.5/3.6	1503	1.9GY 9/2.8	1593	7.5B 8/3.6	1682	9.4R 5.8/6
1414	10RP 8/4.4	1504	3.8GY 9/3.2	1594	4.4B 8/3.6	1683	7.8R 5.4/7
1415	10RP 8/5.2	1505	1.3GY 9/3.6	1595	7.5B 8/3.6	1684	10R 4.1/6.5
1416	10RP 7.5/4.4	1506	2.5GY 9/3.6	1596	7.5B 7.5/3.6	1685	9R 4.4/9.1
1421	7.5R 9/2	1511	8.1Y 9/3.2	1601	2.5PB 8.5/1	1686	8.7R 6.4/6
1422	1.9YR 9/1.8	1512	3.1GY 9/2.4	1602	3.1PB 8.5/2.8	1691	7.6Y 9.3/3.9
1423	7.5RP 8.5/3.6	1513	3.8GY 9/2.8	1603	4.4PB 8.5/2.8	1692	4.8Y 8.2/6.8
1424	5R 8/3.6	1514	6.9GY 9/3.2	1604	3.1PB 8/5.2	1693	4.4Y 8.4/7.4
1425	10RP 7.5/4.8	1515	7.5GY 9/2.8	1605	3.1PB 8/4	1694	1.9Y 7.6/9.9
1426	10RP 7.5/5.2	1516	4.4GY 9/3.6	1606	9.4B 7.5/2.8	1695	3.7Y 8.6/8.3
1431	0.6YR 9/1	1521	4.4GY 9/1	1611	6.9PB 8.5/2.4	1696	6.3Y 8.8/5.4
1432	5YR 9/1.8	1522	9.4GY 9/1.2	1612	1.3PB 8/2.8		
1433	0.6YR 8.5/2.4	1523	0.6G 9/1.6	1613	3.1PB 7.5/2.4		
1434	8.1R 8/3.6	1524	8.1GY 9/1.6	1614	4.4PB 8/3.2		
1435	0.6YR 8/4	1525	4.4GY 8.5/2	1615	3.1PB 8/4.4		
1436	0.6YR 7.5/4	1526	8.8GY 8.5/2.4	1616	1.3PB 7.5/3.2		
1441	6.3YR 9/1.6	1531	6.9GY 9/1.4	1621	5PB 8.5/2.4		
1442	1.3YR 8.5/2	1532	8.8GY 8.5/3.6	1622	10B 8/3.6		
1443	1.9YR 8.5/3.6	1533	0.6G 8.5/2.4	1623	8.8B 8/2.8		
1444	1.3YR 8/4	1534	1.3G 8.5/3.6	1624	9.4B 7.5/2.4		
1445	0.6YR 8/4.4	1535	2.5G 8.5/3.2	1625	1.3PB 8/3.2		
1446	8.8R 7/3.6	1536	1.9G 8.5/2.8	1626	2.5PB 7.5/3.6		
1451	7.5YR 9/2	1541	6.9G 9/1.4	1631	2.5B 9/1		
1452	9.4YR 9/2.4	1542	1.3G 8.5/2	1632	8.8B 8.5/1.4		
1453	7.5R 8.5/3.6	1543	3.1G 8.5/2.8	1633	8.8B 8.5/1.8		
1454	4.4YR 8.5/3.6	1544	3.8G 8.5/2.8	1634	8.8B 7.5/1.2		
1455	4.4YR 8/3.6	1545	7.5G 8.5/3.6				



Weitere Informationen
finden Sie in unserem
Online-Shop:
www.torso.de